

LECHNER S.p.A. SMP BOND

Revision nr.3 Dated 28/04/2016 Printed on 12/07/2016 Page n. 1 / 8

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SMP BOND

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use ADESIVO SPUR PER PARQUET.

1.3. Details of the supplier of the safety data sheet

Name LECHNER S.p.A.

Full address Via Nazionale, 106/108 - Fraz. Rigoroso

District and Country 15061 Arquata Scrivia (AL)

ITALIA

Tel. +39 0143.636103 Fax +39 0143.636405

e-mail address of the competent person

responsible for the Safety Data Sheet laboratorio@lechnerspa.it

1.4. Emergency telephone number

For urgent inquiries refer to Az. Osp. Univ. Foggia 0881-732326

Az. Osp. A. Cardarelli Napoli 081-7472870 CAV Policlinico Umberto I Roma 06-49978000 CAV Policlinico A. Gemelli Roma 06-3054343 Az. Osp. Careggi Firenze 055-7947819

CAV Centro Nazionale di Informazione Tossicologica Pavia 0382-24444

CAV Osp. Niguarda Ca Granda Milano 02-66101029

Az. Osp. Papa Giovanni XXII 800883300

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments.

Hazard classification and indication: -

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

EUH210 Safety data sheet available on request.

EUH208 Contains: N-[3-(Trimethoxysilyl)propyl]ethylenediamine

May produce an allergic reaction.

Precautionary statements: --

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.



LECHNER S.p.A. SMP BOND

Revision nr.3 Dated 28/04/2016 Printed on 12/07/2016 Page n. 2 / 8

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 1272/2008 (CLP).

VINILTRIMETOSSISILANO

CAS. 2768-02-7 2,5 - 3

Flam. Liq. 3 H226, Acute Tox. 4 H332

EC. 550-449-8

INDEX.

Reg. no. 01-2119513215-52-0002

N-[3-(TrimethoxysilyI)propyl]ethylenediamine

CAS. 1760-24-3 0,8 - 0,9 Acute Tox. 4 H332, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC. 217-164-6

INDEX.

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).



LECHNER S.p.A. SMP BOND

Revision nr.3 Dated 28/04/2016 Printed on 12/07/2016 Page n. 3 / 8

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

CZE DEU ESP EST	Česká Republika Deutschland España Eesti	Nařízení vlády č. 361/2007 Sb. kterým se stanoví podmínky ochrany zdraví při práci MAK-und BAT-Werte-Liste 2012 INSHT - Límites de exposición profesional para agentes químicos en España 2015 Töökeskkonna keemiliste ohutegurite piirnormid 1. Vastu võetud 18.09.2001 nr 293 RT I 2001, 7460 - Redaktsiooni jõustumise kp: 01.01.2008
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GRB	United Kingdom	1 0
GRC	Ελλάδα	ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012
HRV	Hrvatska	NN13/09 - Ministarstvo gospodarstva, rada i poduzetništva
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Databank of the social and Economic Concil of Netherlands (SER) Values, AF 2011:18
NOR	Norge	Veiledning om Administrative normer for forurensning i arbeidsatmosfære
POL	Polska	ROZPORZĄDZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 16 grudnia 2011r
EU	OEL EU TLV-ACGIH	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC. ACGIH 2014

77,



LECHNER S.p.A.

SMP BOND

SECTION 8. Exposure controls/personal protection. .../>

Revision nr.3 Dated 28/04/2016 Printed on 12/07/2016 Page n. 4 / 8

		VINILTRIN	IETOSSISILAN	10						
entration	- PNEC.									
water		0,34	mg/l							
e water					0,034	mg/l				
ct level - D	NEL / DMEL									
Effects on consumers.							Effects on workers			
Acute	Acute	Chronic	Chronic	Acute local	Acute		Chronic			
local	systemic	local	systemic		systemic	Chroni	systemic			
						c local				
				VND	4,9	VND	4,9			
					mg/m3		mg/m3			
				VND	0,69	VND	0,69			
					mg/kg/d		mg/kg/d			
	water e water ct level - C Effects of Acute	e water ct level - DNEL / DMEL Effects on consumers. Acute Acute	water e water ct level - DNEL / DMEL Effects on consumers. Acute Acute Chronic	water e water ct level - DNEL / DMEL Effects on consumers. Acute Acute Chronic Chronic	water e water ct level - DNEL / DMEL Effects on consumers. Effects on w Acute Acute Chronic Chronic Acute local local systemic local systemic VND	Sentration - PNEC.	Sentration - PNEC.			

METHANOL										
Threshold Limit \	Value.									
Туре	Country	TWA/8h		STEL/15	STEL/15min					
		mg/m3	ppm	mg/m3	ppm					
TLV	CZE	250		1000		SKIN.				
AGW	DEU	270	200	1080	800	SKIN.				
MAK	DEU	270	200	1080	800	SKIN.				
VLA	ESP	266	200			SKIN.				
TLV	EST	260	200			SKIN.				
VLEP	FRA	260	200	1300	1000	SKIN.				
WEL	GRB	266	200	333	250	SKIN.				
TLV	GRC	260	200	325	250					
GVI	HRV	260	200			SKIN.				
TLV	ITA	260	200			SKIN.				
OEL	NLD	133	100			SKIN.				
TLV	NOR	130	100			SKIN.				
NDS	POL	100		300						
OEL	EU	260	200			SKIN.				
TLV-ACGIH		262	200	328	250					

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

None required.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance paste Colour hazelnut Odour odourless Odour threshold. Not available. Not available. pH. Melting point / freezing point. Not available. Not available. Initial boiling point. Boiling range. Not available. Flash point. 200 °C. **Evaporation Rate** Not available.



LECHNER S.p.A.

SMP BOND

Revision nr.3 Dated 28/04/2016 Printed on 12/07/2016 Page n. 5 / 8

SECTION 9. Physical and chemical properties. />

Flammability of solids and gases Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density. 1.65 Kg/I

Solubility soluble in organic solvents

Partition coefficient: n-octanol/water
Auto-ignition temperature.

Decomposition temperature.

Viscosity

Explosive properties

Oxidising properties

Not available.

Not available.

Not available.

Not available.

Not available.

9.2. Other information.

Solid content. 100,00 %

VOC (Directive 2010/75/EC): 0

VOC (volatile carbon): < 0.01 % - 0,01 g/litre.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

Il prodotto reagisce lentamente in presenza di acqua (attraverso l'umidità ambientale) diventando un solido gommoso e producendo METANOLO.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid.

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

This product contains sensitizing substance/s and may cause allergic reactions.

SECTION 12. Ecological information.

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

Information not available.

ΕN



LECHNER S.p.A.

SMP BOND

Revision nr.3 Dated 28/04/2016 Printed on 12/07/2016 Page n. 6 / 8

SECTION 12. Ecological information. .../>>

1	2.	3.	Bi	ioa	ccu	mu	lative	e pote	ntial.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for user.

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1.	Safety,	health and	environmental	regulation	s/legislatio	on specific f	or the su	bstance	or mixture
-------	---------	------------	---------------	------------	--------------	---------------	-----------	---------	------------

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None

Substances subject to authorisarion (Annex XIV REACH).

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

ΕN

Revision nr.3 Dated 28/04/2016 Printed on 12/07/2016

Page n. 7/8



LECHNER S.p.A.

SMP BOND

SECTION 15. Regulatory information. .../>>

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None

Healthcare controls.

Information not available.

Product not intended for uses provided for by Dir. 2004/42/CE.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3
Acute Tox. 4
Eye Dam. 1
Skin Sens. 1
Flammable liquid, category 3
Acute toxicity, category 4
Serious eye damage, category 1
Skin sensitization, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H318 Causes serious eye damage.
 H317 May cause an allergic skin reaction.
 H411 Toxic to aquatic life with long lasting effects.
 EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

ΕN



LECHNER S.p.A.

SMP BOND

Revision nr.3 Dated 28/04/2016 Printed on 12/07/2016 Page n. 8 / 8

SECTION 16. Other information. />>

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

08 / 09 / 10.